

Решите тригонометрическое неравенство  $3\cos^2 x < 3$ .

- 1)  $\bigcup_{k \in \mathbb{Z}} \left( \frac{\pi}{6} + 2\pi k; \frac{5\pi}{6} + 2\pi k \right) \cup \left[ \frac{7\pi}{6} + 2\pi k; \frac{11\pi}{6} + 2\pi k \right]$
- 2)  $\bigcup_{k \in \mathbb{Z}} \left( \frac{\pi}{6} + 2\pi k; \frac{5\pi}{6} + 2\pi k \right) \cup \left( \frac{7\pi}{6} + 2\pi k; \frac{11\pi}{6} + 2\pi k \right)$
- 3)  $\bigcup_{k \in \mathbb{Z}} \left( \frac{\pi}{6} + 2\pi k; \frac{5\pi}{6} + 2\pi k \right) \cup \left[ \frac{7\pi}{6} + 2\pi k; \frac{11\pi}{6} + 2\pi k \right)$
- 4)  $\bigcup_{k \in \mathbb{Z}} \left( \frac{\pi}{6} + 2\pi k; \frac{5\pi}{6} + 2\pi k \right) \cup \left[ \frac{7\pi}{6} + 2\pi k; \frac{11\pi}{6} + 2\pi k \right]$
- 5)  $\bigcup_{k \in \mathbb{Z}} \left( \frac{\pi}{6} + \pi k; \frac{5\pi}{6} + \pi k \right) \cup \left( \frac{7\pi}{6} + \pi k; \frac{11\pi}{6} + \pi k \right)$
- 6)  $\bigcup_{k \in \mathbb{Z}} \left( \frac{\pi}{6} + 2\pi k; \frac{5\pi}{6} + 2\pi k \right) \cup \left( \frac{7\pi}{6} + \pi k; \frac{11\pi}{6} + \pi k \right)$